



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/760,655	01/17/2004	Lester E. Burgess	300-27 DIV III	1017

7590 06/30/2004
Adrian T. Calderone
DILWORTH & BARRESE, LLP
333 Earle Ovington Blvd.
Uniondale, NY 11553

EXAMINER

KLAUS, LISA NHUNG

ART UNIT	PAPER NUMBER
----------	--------------

2832

DATE MAILED: 06/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/760,655

Applicant(s)

BURGESS ET AL.

Examiner

Lisa N. Klaus

Art Unit

2832

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 2 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 January 2004.
- 2a) ☐ This action is FINAL. 2b) ☐ This action is non-final.
- 3) ☒ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 41-47 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 41-47 is/are allowed.
- 6) ☐ Claim(s) _____ is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 15 January 2004 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date 4/16/04.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

Ex parte Quayle

1. This application is in condition for allowance except for the following formal matters as shown below:

- Regarding figure 16, the element number 21 is not adequately connected to whichever element it is intended to identify. Also, there are two element numbers 2000.

- Page 44, line 13, element number 2200 is not in the drawing.

Prosecution on the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

A shortened statutory period for reply to this action is set to expire TWO MONTHS from the mailing date of this letter.

Allowable Subject Matter

2. Claims 41-47 are allowed.

The following is an examiner's statement of reasons for allowance:

The Prior Art does not teach or suggest the method for assembling a pressure actuated tubular switch assembly comprising a step of providing a terminal plug assembly including at least one wire lead attached to a contact plate having first and second contact electrodes disposed respectively on opposite sides of the contact plate, and malleable, deformable ferrule; inserting the contact plate into an open end portion of the tubular sensor wherein the end portion of the tubular sensor is at least partially surrounded by the ferrule; crimping the ferrule to a position wherein the end portion of the tubular sensor is compressed such that the first conductive electrode film is in electrical contact with the first contact electrode and the second conductive electrode film is in electrical contact with the second contact electrode.

Art Unit: 2832

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Conclusion

3. Any inquiry concerning this communication should be directed to Lisa Nhung Klaus whose telephone number is (571)272-1993, and whose fax number is 703-872-9306. In the event that I am not reached, you can contact my supervisor, Mr. Elvin G. Enad at (571)272-1990 or the tech center receptionist at (703) 308-1782.

Lisa Nhung Klaus

Patent Examiner - Art Unit 2832

June 18, 2004


ELVIN ENAD
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800
